### **EU Declaration of Conformity**

PRODUCT TYPE: SAFETY SHOES


MANUFACTURER: Barilli SRL

Via Galilei,34 42027 Montecchio Emilia(RE) Italy

This declaration of conformity is issued under the sole responsibility of the Manufactuer

PRODUCT ID: 1/9700, 1/9730

PRODUCT IMAGE/S:



The above product is in conformity with the regulation (EU) 2016/425 and is identical to the PPE which is subject of EU certificate.....issued by:

ITS Testing Services UK Ltd Centre Court, Meridian Business Park, Leicester, LE19 1WD, **United Kingdom** NB 0362

Via Galllei, 34.4.42027 Montechio Emilia (RE)

Relevant Harmonized Standards / Technical Specifications used to which conformity is declared: Insert Harmonised Standards/Technical Specifications

EN ISO 20345: 2011

Signed for on behalf of log 2019

Name:

Position:

Signature:



Section 1
[Section 1, Application Form for Certification must be printed, signed by hand, scanned and inserted in the document]

Notified Body 0362

### Application for Certification of Safety Footwear

Name of Firm	Barilli SRL
Address	Via Galilei,34 42027 Montecchio Emilia(RE) Italy
Contact(s)	Barilli Angelo
Position	
Telephone Number	0039 0522 861037
Fax Number	0039 0522 861004
Email address	info@barilliantinfortunistica.it

Name of Firm	Intertek Guangzhou	
Address		
Contact(s)	Race Chen	
Position	Trace Offeri	
Telephone Number		
Fax Number		
Email address		

Name of Firm		
Address		
Contact(s)	Song Xiaoguang	
Position	G-manager	
Telephone Number	+86 0532 66711019	
Fax Number	+86 0532 66711029	
I ax Number	-00 0002 007 11020	



Please indicate below what requires altering for your application:-

Which certificate number is this application to be extended / amended from:-			
LECFI00374082			
Change applicant details to:	nge applicant details to: Change of size range:		
Barilli SRL Via Galilei,34 42027 Montecchio Emilia(RE) Italy			
Change of components: Please list them and test reports in section 2	Change the category of protection to:-	Please insert new tongue label:-	
Insert Plate change to Kevlar		FR 42	
Toecap change to Composite toecap		1/9700	
Upper change to Black nubuck leather Tongue/Collar change to Black nubuck leather		safety shoes  EN ISO 20345 :2011 S3 SRC 08/2019 MADE IN CHINA Manufacturer ID: Barilli SRL Via Galilei,34 42027 Montecchio Emilia(RE) Italy	
Addition of style(s) – Please add photo		720	
1/9700	1/97	730	

Safety Footwear BS EN ISO 20345:2011





#### D, Declaration:

I/We undertake to pay all fees required under the ITS Testing Services UK Ltd system for Certification of products connected with assessment, testing and administration in the pre-certification stage, irrespective of the eventual granting of certification.

I/We confirm that the application for CE product marking for any one model will only be made to one Certification authority.

In the event of being granted Certification, I/we undertake to conform to the Regulations governing the ITS Testing Services UK Ltd system for Certification of products and in particular to pay all fees charged.



## CE PRODUCT CERTIFICATION SCHEME RULES(May 2013)

- These Regulations define the prime responsibilities of ITS Testing Services UK Ltd, (herein after referred to as the Company) in the issuing and monitoring of certificates and of the Certificate holder (herein after referred to as the Applicant) in maintaining their certification.
- 2. An applicant which satisfies all of the necessary criteria and gives undertakings as required shall be entitled to be issued with a certificate demonstrating the certification status of the model or product family. This certificate shall remain the property of the Company. Separate certificates shall be issued for each model, or product family. Certificates covering mid-category product are valid from the date of issue and until either the product is modified or deleted or until the stated expiry date as shown on the certificate.
- 3. Each applicant shall:
  - a. Make claims of certification only in accordance with the certificate(s) issued.
  - b. Comply with these scheme rules at all times.
  - c. Comply with United Kingdom and European legislation covering the CE Marking of products at all times.
  - d. Only use the certification mark as directed by the United Kingdom Government and European Commission.
  - Maintain the technical documents assessed as satisfactory and make available copies for the use and retention, if considered appropriate, by the Company.
  - f. Permit access to competent EC authorities to relevant technical documentation, upon a reasoned request, for 10 years following the issue of a certificate.
  - g. At the request of the MD of the Company, cease claims to certification considered unacceptable.
  - h. Nominate a company representative and at least one deputy to be responsible for the company's compliance with these Regulations.
  - Upon cancellation of certification return all certificates and schedules to the Company and immediately cease
    applying the certification mark to products and claims to certification claims on any company literature, advertising
    material etc.
  - Upon cancellation of certification shall remove the certification mark from product in his possession, if requested to do so by the MD of the Company.
  - k. Maintain a record of complaints and related actions to be made available to authorised person when requested.
  - Apply the Notified Body number to products which have been approved according to module C2 of the PPE Regulation and for which the Notified Body has undertaken surveillance to ensure continued conformance.
  - m. Not apply the Notified Body number to other products except where this is explicitly required to meet the requirements of the applicable harmonised standard.
- 4. Each applicant issued with a certificate for mid-category product shall pay:
  - A certificate issue fee
  - b. Varied additional fees covering re-issues and any associated or special assessments
  - c Any additional costs incurred by the Company due to non compliance with these regulations
- 5. The Company shall:
  - Give due notice of any serious reported problems or complaints concerning the licensed products providing that confidentiality will not be breached.
  - b. Maintain confidentiality of all information except that which is in the public domain
  - c. Make any necessary amendments to these Scheme Rules and give those companies affected a period of up to 6 months to comply with any changed requirement.
  - Maintain a register of applicants and certified products.
- 6. If an applicant company fails to comply with these Regulations, then certification may be:
  - i. Cancelled
  - ii. Reduced
  - iii. Not granted.

The applicant company will be notified in writing of any such decisions

- 7. If an applicant company goes into receivership, liquidation, becomes the subject of bankruptcy laws, is convicted of breaking the law of the land or acts in a disreputable manner then certification may be cancelled or not granted. The applicant company shall be notified in writing of any such decisions
- If an applicant company wishes to appeal against any decision made by the Company under these Scheme Rules, it shall inform the company MD in writing within 21 days of being informed of such a decision. A meeting of the appeals panel shall be held within 30 days of the receipt of written notice and the appellant shall be given 14 days notice of the details of the meeting. The MD of the Company and the appellant shall have the right to be heard in confidence at the meeting and have the right to legal representation. The majority decision of the panel shall be final. Pending the result of the appeal the decision of the Company MD will stand. The appeals panel shall consist of 3 members of the certification body, none of which shall have a vested interest in the outcome of the appeal.
- Any notice served under these Scheme Rules shall be in writing and shall be delivered either by hand or recorded mail to the last notified address. Any notice served by post shall be considered to have been served 48 hours from the time of posting.

10.	For the purposes of the Scheme Rules, Mid-Category also means class	Il or interme	diate design.	1	
	CARDON COLOR		12/20	1 2	10
Autl	norised Signatory	Date	10 107	. 20'	1)
	norised Signatory		/		
	42027 Montecchio Emilia (RE)				
	(AE)				



## Section 2

DESIGN	Test Report Number	
Height of upper (5.2.2)		
Seat region (5.2.3)		
Construction (5.3.1.1)	GZHT90903193	
Upper/Outsole Bond strength (5.3.1.2)	GZHT90903193	
Toe protection		Toecap and supplier
General (5.3.2.1)	GZHT90903193	Composite toecap
Toecap internal length (5.3.2.2)	GZHT90903193	JUNAN STAR
Impact resistance of safety footwear (5.3.2.3)	GZHT90903193 GZHT90908992	RUBBER CO. LTD.
Compression Resistance of safety footwear (5.3.2.4)	GZHT90903193	
Corrosion resistance of metallic toe caps (5.3.2.5.1)		
Non-metallic toe caps (5.3.2.5.2)	GZHT90756649	
Leakproofness (5.3.3)		
Specific Ergonomic features (5.3.4)	GZHT90903193	
Slip Resistance (5.3.5)		Mould
Slip Resistance (SRA)		
Ceramic tile with Sodium Lauryl Sulphate		
Slip Resistance (SRB)		
Steel with glycerol		
Slip Resistance (SRC)		
Ceramic tile with Sodium Lauryl Sulphate		
Steel with glycerol		

UPPER	Test Report Number	Upper and Supplier
Thickness (5.4.2)		Black nubuck leather
Tear Strength (5.4.3)	SL918092594723FW-01	SHANDONG
Tensile Strength (5.4.4)	SL918092594723FW-01	LAIFUTE
Flexing resistance (5.4.5)		LEATHER GOODS
Water Vapour Permeability and Coefficient (5.4.6)	SL918092594723FW-01	CO.,LTD
pH Value (5.4.7)	GZHT90903193	
Hydrolysis (5.4.8)		
Chrome VI Content (5.4.9)	GZHT90903193	
Azo Dye Stuffs (5.3.6)	GZHT90903193	
PCP (5.3.6)	GZHT90903193	

LINING (Vamp)	Test Report Number	Vamp lining and Supplier
Tear Strength (5.5.1)		
Abrasion Resistance (5.5.2)		
Water Vapour Permeability and Coefficient (5.5.3)		
pH Value (5.5.4)		
Chrome VI Content (5.5.5)		
Azo Dye Stuffs (5.3.6)		
PCP (5.3.6)		





Total	Quality.	. Assured.
-------	----------	------------

LINING (Quarter)	Test Report Number	Quarter lining and Supplier
Tear Strength (5.5.1)		
Abrasion Resistance (5.5.2)		
Water Vapour Permeability and Coefficient (5.5.3)		
pH Value (5.5.4)		
Chrome VI Content (5.5.5)		
Azo Dye Stuffs (5.3.6)		
PCP (5.3.6)		

TONGUE	Test Report Number	Tongue and Supplier
Tear Strength (5.6.1)		
pH Value (5.6.2)		]
Chrome VI Content (5.6.3)		
Azo Dye Stuffs (5.3.6)		
PCP (5.3.6)		

COLLAR/INSERT MATERIALS	Test Report Number	Collar and Supplier
Tear Strength (5.5.1)		Black nubuck leather
Abrasion Resistance (5.5.2)	GZHT90903193	SHANDONG
pH Value (5.5.4)		LAIFUTE
Chrome VI Content (5.5.5)		LEATHER GOODS
Azo Dye Stuffs (5.3.6)		CO.,LTD
PCP (5.3.6)		

INSOLE	Test Report Number	Insole and Supplier
Thickness (5.7.1)	GZHT90903193	Kevlar
pH Value (5.7.2)		GAOMI CITY
Water Absorption/ Desorption (5.7.3)	GZHT90903193	YONGQING LABOUR
Abrasion resistance (5.7.4.1)	GZHT90903193	PROTECTION PRODU
Chrome VI Content (5.7.5)		CTS CO., LTD

INSOCK (IF DIFFERENNT TO LINING)	Test Report Number	Insock and Supplier
Thickness (5.7.1)		
pH Value (5.7.2)		
Water Absorption/ Desorption (5.7.3)		
Abrasion Resistance (5.7.4.2)		
Chrome VI Content (5.7.5)		
Azo Dye Stuffs (5.3.6)		
PCP (5.3.6)		

OUTSOLE	Test Report Number	Outsole and Supplier
Thickness of outsoles (5.8.1.1)		
Cleated area (5.8.1.2)		
Cleat height (5.8.1.3)		
Tear Strength (5.8.2)		
Abrasion Resistance (5.8.3)		
Flexing resistance (5.8.4)	GZHT90908992	
Hydrolysis (5.8.5)		
Outsole/Interlayer Bond strength (5.8.6)		



Additional Requirements		
Penetration Resistance	Test Report Number	Insert and Supplier
Metallic - Nail penetration resistance (6.2.1.1)		Kevlar
Non metallic - Nail penetration resistance (6.2.1.1.2)	GZHT90903193	GAOMI CITY YONGQING
Penetration resistant insert construction		LABOUR
(6.2.1.2)		PROTECTION PRODUCTS
Penetration resistant insert dimensions		CO., LTD
(6.2.1.3)		
Flex resistance of penetration resistant inserts	GZHT90915869	
(6.2.1.4)		
Corrosion resistance of metallic inserts (6.2.1.5.1)		
Non-metallic corrosion resistant inserts (6.2.1.5.2)	GZHT90670304	

Electrical Resistance	Test Report Number	
Conductive footwear (6.2.2.1)		
Antistatic Footwear (6.2.2.2)	GZHT90903193	
Resistance to inimical environments		
Heat insulation of sole complex (6.2.3.1)		
Cold insulation of sole complex (6.2.3.2)		
Energy absorption of the seat region (6.2.4)	GZHT90903193	
Water resistance (6.2.5)		
Metatarsal protection		
Construction of Metatarsal protective device (6.2.6.1)		
Impact resistance of metatarsal protective device		
(6.2.6.2)		
Ankle Protection (6.2.7)		
Upper		
Water penetration and water absorption (6.3.1)	GZHT90903193	
Construction (6.3.2)	GZHT90903193	
Cut Resistance		
Design (6.3.3.1)		
Construction (6.3.3.2)		
Resistance to cutting (6.3.3.3)		
Penetration Resistance (6.3.3.4)		

Outsole	Test Report Number	Outsole and Supplier
Resistance to hot contact (6.4.4)		
Resistance to Fuel Oil (6.4.5)		



### Section 3

### **EU Declaration of Conformity**

<u>Please add internet address where the EU Declaration of Conformity can be viewed</u>

Date: 10/09/2019



### Section 4

#### Declaration of Innocuousness - EN ISO 20345:2011 Clause 5.3.6

The Safety footwear described hereafter:-

Please put a description of the products below:-

1/9700, 1/9730

It shall not adversely affect the health or hygiene of the user. Safety footwear shall be made of materials such as textiles, leather, rubbers or plastics that have been shown to be chemically suitable. The materials shall not, in the foreseeable conditions of normal use, release or degrade to release substances generally known to be toxic, carcinogenic, mutagenic, allergenic, toxic to reproduction or otherwise harmful. Information claiming that the product is innocuous shall be checked.

Signed:



#### Section 5

#### Blank certificate

Please indicate below the information required on the final certificate

# Examination Certificate



#### Approved Body 0362

The safety footwear detailed herein meets the criteria of an EU Type Examination in accordance with Annex V of the PPE Regulation EU 2016/425

This has been shown through satisfactory testing to EN ISO 20345: 2011 and examination of the Technical File Documentation.

Following an EU Declaration of Product Conformity you are hereby licensed to mark the product(s) detailed in accordance with Article 17 of the PPE Regulation EU 2016/425

ITS Testing Services (UK) Centre Court Meridian Business Park Leicester, LE19 1WD United Kingdom Phone: +44 (0)116 263 0330 Fax: +44 (0)116 263 0311 Issued to : Barilli SRL

Via Galilei,34 42027 Montecchio Emilia(RE) Italy

**Authorised** 

Representative(s)

Manufacturer : Qingdao Higher in Nice Imp & Exp Co., Ltd

Rm1101, Fortune Center, No 182-6, Haier road,

Qingdao, China

Product Reference(s) : 1/9700, 1/9730

Description

Construction

Injection

Toecap

Composite

Midsole

Composite

Last

05

:

:

:

:

:

Sole

PU/PU

Mould

Test Report(s)

See Technical File

Size Range

36-48

S3 SRC

Category